



# **Opti Ultra Roof Panel**



#### **Product Information**

Opti Ultra is a three ribs profilled roof panel.

#### **Production Plant**

İstanbul, İskenderun ve Balıkesir

#### **Product Application**

- · Industrial Buildings
- Military Buildings
- Public Buildings
- Agricultural Buildings
- Sports Facilities
- Construction Site Buildings
- Silos
- Hypermarkets
- Shopping Centers
- Storehouse Halls
- Administrative Buildings

and all other concrete structures with steel or prefabricated load bearing systems.

Assan Panel reserves the right to change the features of its products. The property rights of third parties must be respected. Acceptance of all orders is based on our current terms of sale and shipping. Users should always consider the latest edition of the Local Product Information Sheet for the relevant product, which can be obtained by contacting Assan Panel.





### **Performance Advantages**

Good heat insulation values.


Fast and problem-free assembly saves both time and labor.

Polyurethane does not keep water within its body and it does not accommodate bacteria and insects.

Thanks to n-Pentane which is used to inflate the Polyurethane, no damage is caused to nature.

The colorful surface does not require additional coating like plaster or paint.

#### **Measurements**



Favorable Width	1000 mm	
Minimum Height	3 meter	
Maximum Height	Depends on the transport conditions.	

### Polyurethane (PUR)



Polyurethane Density (EN 1602)	38±6 kg/m <sup>3</sup>	
Polyurethane Density	40-50 mm	
Thermal Conductivity (EN 13165)	0,022-0,024 W/mK	
External Facing Thickness	0,50-0,30 mm	
Internal Facing Thickness	0,50-0,30 mm	
Steel Quality (EN 10327)	Dx51 D+Z Prepainted Galvanized Steel (last coat polyester paint on primer)	



### **Thermal Conductivity Values**

Thickness	Thermal Conductivity (W/m²K)	Thermal Resistance (m²K /W)	Thermal Resistance (ft² ºF h/Btu)
40 mm	0,575	1,739	9,875


### **Mechanical Properties**

Steel Surface Yield Strength	Min. 220 N /mm² (BGS)
Panel Tensile Strength	Min. 0,018 Mpa
Compressive Strength of Core Material	Min. 0,095 Mpa


### **Tolerance Properties**

Panel Length	Panel Thickness	Panel Cover Width
If L<=3000 mm, -±5 mm; If L>3000 mm, ±10 mm	D ≤ 100 mm ±2 mm	±2 mm for all profiles

## **Standard Colour Options**



### **Joint Detail**



Bearing System

### **Transportation and Protection of Sandwich Panel**

